Ambulatory Care Self-Assessment Questions

This self-assessment can be taken from two different perspectives: the System track contains questions that would be useful for someone in an administrative or supervisory role who might want to assess operations beyond one single ambulatory practice setting. The Practitioner track contains questions more relevant for a practitioner assessing a single practice setting. This PDF contains both tracks. Selecting the System or Practitioner link below will take you to the track you wish to review.

Section 1: Demographics
Assessment Name (This will appear on your dashboard)
Institution Name
What groups does practice belong to? [] UHC [] VA [] CHI [] Lifepoint
Question 1.1 In which state does your practice reside?
Question 1.2 In which city does the practice reside?
Question 1.3 What is the zip code for your practice location?
Question 1.4 What term best describes your practice setting? O Hospital/Health system O Retail/Community pharmacy O Physician's office O Health plan O Specialty pharmacy O Non-health system clinic O VA or Federal facility O Home care O Other
Question 1.5 Is there a dispensing pharmacy within or adjacent to this location that serves some or all of your patients? ○ Yes ○ No

	on 1.5i Does this assessment include both primary care and specialty clinics? Primary care clinics only
	Specialty clinics only
	Both primary care and specialty clinics.
O	Both primary care and specialty clinics.
Questi existen	on 1.6 How long have your ambulatory pharmacy patient care services been in ice?
0	Less than 1 year
0	1-5 years
0	Over five years
0	In planning stage
Questi	on 1.7 What is your level of experience with planning and implementing pharmacist
	-care services in ambulatory care settings?
	Very experienced; have planned and implemented multiple services
	Some experience; have planned and implemented at least one service
0	Little experience; have not yet implemented an ambulatory care pharmacy service
Questi	on 1.8 What is your role within your organization?
0	
0	Associate or Assistant Director of Pharmacy
	Clinical Coordinator/Director of Clinical Services
0	Other supervisory position
	Pharmacist/Clinical Pharmacist
0	Clinical Pharmacist - Specialist
0	Resident
	Other primary position (describe)
	on 1.9 Please indicate if this assessment is for practice purposes only or if the ment is "official" and the data should be included in reports.
	Practice (personal) Assessment
	Official Assessment
Ū	Cinda / Good inch
Questi	on 1.9.1 This tool is designed so that you can answer the assessment questions from
two (2)	distinct perspectives. Please select the perspective from which you plan to answer the
assess	ment questions.
	PRACTITIONER TRACK SYSTEM TRACK

0

PRACTITIONER TRACK

Section 1: Program Development and Sustainable Business Models

	on 2.1P (relates to Recommendation 1.2)
	of the following are included within your broad-based scope of practice? (Check all that
apply)	Perform patient assessments
0	Have prescribing authority to manage disease through medication use and provide collaborative drug therapy management
0	Order, interpret, and monitor medication therapy related tests
0	Monitor responses to drug therapy, adverse medication-related effects, and adherence
	Assess patients' health literacy and self-sufficiency
0	Provide information about the patient's diseases and related medication therapy and offer strategies to optimize the outcomes of therapy
0	Determine if patients are appropriate candidates for self-care and identify any exclusions for self-care
0	Provide preventative care and wellness programs
0	Provide immunizations
0	Include family caregivers in decision-making and communications
0	Document care processes in the medical record
0	Appropriately refer patients to other providers
0	Other (please specify)
Questi	on 2.4P (related to Guidelines)
	e a written document that defines the scope of services of the pharmacist patient-care
	s in your setting?
	Yes
	No
0	Don't Know
Do you patient	on 2.7P (related to Recommendation 1.3) have criteria to define which ambulatory care patients should receive pharmacist -care services? Yes

0	No
What a care? ((ons 2.9P (related to Recommendation 3.5) re the primary drivers in your practice setting for establishing pharmacists in ambulatory Please check the top three) Re-hospitalization Quality improvement Sentinel event
0 0 0 0	Pay-for-performance measures ROI Reduction in errors Adherence Chronic disease(s) associated with significant morbidity and mortality High resource utilization Other:
Question Have reconsider	on 2.10P (related to Recommendation 3.4) evenue opportunities been maximized for each pharmacy service provided or under eration? Yes No Do not know
Have find provide O	on 2.11P (related to Recommendation 3.4) nancial opportunities other than revenue been identified to justify pharmacy services d under consideration? Yes No Do not know
Have you support	on 2.12P (related to Recommendation 3.2) ou utilized clinical and administrative leaders outside of pharmacy to promote and your program? Yes No
Have yo	on 2.13P (related to Recommendation 3.5) ou developed a comprehensive business plan for any new service? Yes No No new services developed within the past five years

O Not within my area of responsibility
Section 2: Pharmacist Training and Credentials
Question 3.1P (related to Recommendation 1.4) Does your organization have an ASHP-accredited ambulatory care residency training program (PGY1 or PGY2)? O Yes O No
Question 3.2P (related to Recommendation 1.1) Is there a requirement that pharmacists who provide patient care services in ambulatory settings have attained and maintain appropriate competencies and credentials? Yes No
Question 3.3P (related to Recommendation 1.1) Are pharmacists who provide patient-care services in ambulatory settings included in organization-based credentialing and privileging processes? ○ Yes ○ No
Question 3.4P (related to Recommendation 1.1) Do you have initial and ongoing professional practice evaluation? ○ Yes ○ No
Section 3: Program Planning
Question 4.2P (related to Recommendation 2.4) In your practice setting, do you utilize collaborative drug therapy management (CDTM)/scope of practice agreements? O Yes O No O Not permissible in my state
Question 4.3P (related to Recommendation 2.2) Are pharmacists who provide patient-care services in your setting involved, as part of the interprofessional team, in the development and implementation of evidence-based clinical pathways / care plans? O Yes O No
Question 4.4P (related to Recommendation 1.2 and Guidelines) Have policies and procedures governing the scope of the pharmacist patient-care services provided in your setting (e.g., administrative, operational, and clinical) been developed?

 Yes No Question 4.5P (related to Guidelines) Do you participate in initiatives aimed at medication safety, quality, and cost evaluation? Yes No
Question 4.6P (related to Guidelines) Do you assist patients in accessing their medications, such as navigating formulary options accessing patient assistance programs, and/or managing prior-authorization requirements? ○ Yes ○ No
Section 4: Patient-Care Delivery and Integration
Question 5.1P (related to Recommendation 2.4) Are you an integral member of the health care team where you share responsibility and accountability for the care of patients? O Yes O No
 Question 5.2P (related to Guidelines) Have processes been developed for patient recruitment, referral, and scheduling? Yes No
Question 5.3P (related to Recommendation 1.5) Do you follow a standardized patient care process? O Yes O No
Question 5.4P (related to Guidelines) Are adequate space and equipment available for all professional, administrative, and direct patient-care functions? ○ Yes ○ No
Question 5.5P (related to Recommendation 2.3, 4.3) Is technology leveraged to allow you to efficiently provide care to patients? O Yes

O	NO
For wh organiz	ich of the following pharmacist patient-care services in ambulatory settings does your ration currently use billing codes? Incident-to-physician in a hospital-based clinic (facility fee billing) Annual wellness visits Transitional care management Chronic care management Diabetes self-management training/evaluation Tobacco cessation Immunization Medication therapy management Other
Are the care se	on 5.7Pi (related to Recommendation 3.5) are any barriers that prevent you from using available billing codes for pharmacist patient-ervices? Yes No
What Is service	on 5.7Pii (related to Recommendation 3.5) coarriers prevent you from using available billing codes for pharmacist patient-care es? (Check all that apply) Lack of information or understanding of how to bill correctly Lack of support to bill for services from organization/billing department Lack of resources to accurately bill for services Billing for services does not apply in my setting (ex: VA clinic) Billing/revenue is not a primary goal for my service Other:
Are add patient	on 5.8P (related to Recommendation 2.1) equate resources in place to enable you to provide accurate, comprehensive, and -specific drug information to providers, patients, and caregivers? Yes No
Are pha	on 5.9P (related to Guidelines) armacist patient-care areas in your setting designed to ensure proper patient entiality and promote safe and efficient patient care? Yes

0	No
	ion 5.10P (related to Recommendation 2.2) u involved when one of your patients makes any of the following transitions? (Check all
-	Admission to the hospital
	Discharge from the hospital
	Post-discharge follow-up
	Other
Sectio	n 6: Health Information Technology
Questi	ion 6.1P (related to Recommendation 2.1)
service	I have access to patients' medical records and patient health information (including health es resource utilization) that support the provision and documentation of comprehensive, ited, and coordinated clinical pharmacist services?
0	Yes
0	No
Is phar	ion 6.1Pi (related to Recommendation 2.1) macist documentation accessible by all members of the healthcare team? Yes No
	ion 6.2P (related to Recommendation 4.3)
	existing health information technology available to you support: (Check all that apply) Electronic prescribing
	Provision of clinical decision support
	Provision of drug information
	Pharmacist patient care billing
	Communication with patients
	Ability to collect and report outcomes
Questi	ion 6.3P (related to Recommendation 4.3)
Has int	teroperable health information technology been established to optimize pharmacist -care services provided in your practice setting?
•	Yes
	Yes, but needs improvement
	No
Do you for who indicate	ion 6.4P (related to Recommendation 2.3) I leverage health information technologies to efficiently identify populations of patients om evidence-based, comprehensive medication management or wellness services are ed? Yes
0	Yes, but needs improvement

O No
Question 6.5P (related to Recommendation 3.3) Are technology systems available to document pharmacists' impact on patient-specific and population-based outcomes in the ambulatory care setting? Yes Yes, but needs improvement No
Section 7: Pharmacy Technicians/ Support Personnel
Question 7.1P (related to Recommendation 2.7) Do you utilize pharmacy technicians or other supportive personnel to support pharmacist patient-care services provided in your setting? O Yes O No
Question 7.2P (related to Recommendation 2.7) How have you utilized pharmacy technicians or other supportive personnel to promote efficiency, improve access to patient care, and optimize healthcare delivery in your setting? O Work with third-party payers O Support of pharmacists' patient-care activities O Preparation of a prescription order for a pharmacist's review O Point-of-care testing O Triaging phone calls O Pill box fills O Patient assistance program enrollment O Other:
Section 8: Outcomes Evaluation
Question 8.1P (related to Recommendation 3.2, 4.1) Have you or other pharmacists in your practice setting defined measures that correlate the value of pharmacists' contributions to patient outcomes? O Yes O No
Question 8.2P (related to Recommendation4.3) Do you use a standardized format/template for documentation that facilitates outcomes measurement? O Yes O No
Question 8.3P (related to Recommendation 4.5) Does your organization utilize a process for assessing and improving quality for pharmacist patient-care services in the ambulatory care setting?

 Yes No Question 8.4P (related to Recommendation 2.8, 4.2) Do you provide services to encourage patients' participation in and accountability for their care (beyond adherence)? Yes No 	

Section 2: Program Development and Sustainable Business Models

Questi	on 2.1S (related to Recommendation 1.2)
Which	of the following are included within the scope of practice of pharmacists providing patient-
	ervices in your ambulatory setting? (Check all that apply)
	Perform patient assessments
0	Have prescribing authority to manage disease through medication use and provide collaborative drug therapy management
0	Order, interpret, and monitor medication therapy related tests
0	Monitor responses to drug therapy, adverse medication-related effects, and adherence
0	Assess patients' health literacy and self-sufficiency
0	Provide information about the patient's diseases and related medication therapy and offer strategies to optimize the outcomes of therapy
0	Determine if patients are appropriate candidates for self-care and identify any exclusions for self-care
0	Provide preventative care and wellness programs
0	Provide immunizations
0	Include family caregivers in decision-making and communications
0	Document care processes in the medical record
0	Appropriately refer patients to other providers
0	Other (please specify)
Do you of-servi	on 2.2S (related to Guideline) have a strategic plan that includes both ambulatory pharmacy patient care and scope- ice responsibilities (for ex: hours of service)? Yes No
Are the those of	on 2.3S (related to Recommendation 1.3) ambulatory care pharmacy services mission, goals, objectives, and work consistent with of the parent healthcare organization? Yes No
Is there service O	Yes No
0	I don't know

Question 2.5S (related to Recommendation 1.3)
What percentage of all your ambulatory patients receive pharmacist patient-care services?
O 0 - 25%
O 26 - 50%
O 51 - 75%
O 76 - 100%
Question 2.6S (related to Guidelines)
Do you have one or more ambulatory clinics?
O Yes
O No
Question 2.6Si (related to Guidelines)
How many ambulatory clinics do you have?
O Enter number:
O Don't know
Question 2.6Sii (related to Guidelines)
How many ambulatory clinics have a pharmacist present at least one day a week?
O Enter number:
O Don't know
Question 2.6Siii (related to Guidelines)
Number of Pharmacist FTEs at staffed clinics?
O Enter number:
Question 2.7S (related to Recommendation 1.3)
Do you have criteria to define which ambulatory care patients should receive pharmacist
patient-care services?
O Yes
O No
Question 2.7Si (related to Recommendation 1.3)
What percentage of patients who meet your criteria receive pharmacist patient-care services?
O 0 - 25%
O 26 - 50%
O 51 - 75%
O 76 - 100%
Question 2.8S (related to Recommendation 3.5)
Have you completed a comprehensive planning process for ambulatory pharmacist patient-ca
services?
O Yes
O No

	on 2.9S (related to Recommendation 3.5)	
What are the primary drivers in your practice setting for establishing pharmacists in ambulatory		
•	Please check the top three)	
	Reducing readmissions and/or ED visits	
	Quality improvement	
	Sentinel event	
	Pay-for-performance measures	
_	Reducing drug cost	
0	Reduction in errors	
	Adherence	
0	Chronic disease(s) associated with significant morbidity and mortality	
0	Improved use of physician time	
0	Teaching opportunities (students, residents)	
	Revenue billing potential	
0	Other:	
	on 2.10S (related to Recommendation 3.4)	
	evenue opportunities been maximized for each pharmacy service provided or under	
	eration? Yes	
	No De mat language	
	Do not know	
O	Have not evaluated	
Questi	on 2.11S (related to Recommendation 3.4)	
	nancial opportunities other than revenue been identified to justify pharmacy services	
	ed under consideration?	
	Yes	
0	No	
0	Do not know	
0	Have not evaluated	
Questi	on 2.12S (related to Recommendation 3.2)	
Have y	ou utilized clinical and administrative leaders outside of pharmacy to promote and	
	t your program?	
	Yes	
0	No	
	on 2.13\$ (related to Recommendation 3.5)	
-	ou developed a comprehensive business plan for any new service? Yes	
0	No	
0	No new services developed within the past five years	

Section 3: Pharmacist Training and Credentials

Does yo (PGY1	on 3.1S (related to Recommendation 1.4) our organization have an ASHP-accredited ambulatory care residency training program or PGY2)? Yes
0	No
Is there have at O	on 3.2S (related to Recommendation 1.1) a requirement that pharmacists who provide patient care services in ambulatory settings tained and maintain appropriate competencies and credentials? Yes No
Are pha organiz O	on 3.3S (related to Recommendation 1.1) armacists who provide patient-care services in ambulatory settings included in ation-based credentialing and privileging processes? Yes No
Do you O	on 3.4S (related to Recommendation 1.1) have initial and ongoing professional practice evaluation? Yes No
Section	n 4: Program Planning
Do phai participa (Check O O O	rmacists who are involved with patient-care services in ambulatory settings actively ate, as appropriate, as members of committees responsible for any of the following? all that apply) Establishing and implementing medication-related policies and procedures Provision of patient care Informatics Performance improvement Ambulatory care leadership
Have th	on 4.2S (related to Recommendation 2.4) ne pharmacists who provide patient-care services in ambulatory settings entered into rative drug therapy management (CDTM)/scope of practice agreements)? Yes No Not permissible in my state
_	the permitted in my state

Question 4.3S (related to Recommendation 2.2) Are pharmacists who provide patient-care services in ambulatory settings involved, as part of the interprofessional team, in the development and implementation of evidence-based clinical pathways / care plans? O Yes O No
 Question 4.4S (related to Recommendation 1.2) Have policies and procedures governing the scope of the pharmacist patient-care services provided in ambulatory settings (e.g., administrative, operational, and clinical) been developed? Yes No
 Question 4.5S (related to Guidelines) Do pharmacists providing patient-care services in ambulatory settings participate in initiatives aimed at medication safety, quality, and cost evaluation? Yes No
 Question 4.6S (related to Guidelines) Have programs been developed to assist patients in accessing their medications, such as navigating formulary options, accessing patient assistance programs, and/or managing priorauthorization requirements? Yes No
Section 5: Patient-Care Delivery and Integration
Question 5.1S (related to Recommendation 2.4) Are pharmacists who provide patient-care services in ambulatory settings included as integral members of the health care team where they share responsibility and accountability for the care of patients? O Yes O No
 Question 5.2S (related to Guidelines) Have processes been developed for patient recruitment, referral, and scheduling? Yes No
Question 5.3S (related to Recommendation 1.5) Do pharmacists who provide patient-care services in ambulatory settings follow a standardized patient care process? O Yes O No

	ion 5.4S (related to Guidelines)
	equate space and equipment available for all professional, administrative, and direct
•	-care functions?
	Yes
O	No
Questi	ion 5.5S (related to Recommendation 2.3, 4.3)
	nology leveraged to allow pharmacists to efficiently provide care to patients?
0	Yes
0	No
Questi	ion 5.6S (related to Guidelines)
	ı have a system for capturing workload?
0	Yes
0	No
Questi	ion 5.7S (related to Recommendation 3.5)
	ich of the following pharmacist patient-care services in ambulatory settings does your
organiz	zation currently use billing code?
0	Incident-to-physician in a hospital-based clinic (facility fee billing)
0	Annual wellness visits
0	Transitional care management
0	Chronic care management
0	Diabetes self-management training/evaluation
0	Tobacco cessation
0	Immunization
0	Medication therapy management
0	Other
Ouesti	ion 5.7Si (related to Recommendation 3.5)
	ere any barriers that prevent you from using available billing codes for pharmacist patient-
	ervices?
0	Yes
0	No
Questi	ion 5.7Sii (related to Recommendation 3.5)
	barriers prevent you from using available billing codes for pharmacist patient-care
service	es? (Check all that apply)
0	Lack of information or understanding of how to bill correctly
0	Lack of support to bill for services from organization/billing department
0	Lack of resources to accurately bill for services
0	Billing for services does not apply in my setting (ex: VA clinic)
0	Billing/revenue is not a primary goal for my service
0	Other:

Are add and pa	ion 5.8S (related to Recommendation 2.1) equate resources in place to enable pharmacists to provide accurate, comprehensive, itient-specific drug information to providers, patients, and caregivers? Yes No
Are photoconfide	ion 5.9S (related to Guidelines) armacist patient-care areas in ambulatory settings designed to ensure proper patient entiality and promote safe and efficient patient care? Yes No
Are phopatient O O O	ion 5.10S (related to Recommendation 2.2) armacists who provide patient-care services in ambulatory settings involved when as make any of the following transitions? (Check all that apply) Admission to the hospital Discharge from the hospital Post-discharge follow-up Other
Sectio	n 6: Health Information Technology
Do pha patient utilizati coordir O	ion 6.1S (related to Recommendation 2.1) armacists who provide patient-care services in ambulatory settings have access to so medical records and patient health information (including health services resource ion) that supports the provision and documentation of comprehensive, integrated, and nated clinical pharmacist services? Yes No
	ion 6.1Si (related to Recommendation 2.1) macist documentation accessible by all members of the healthcare team? Yes No
Does e service	ion 6.2S (related to Recommendation 4.3) existing health information technology available to pharmacists who provide patient-care es in ambulatory settings support: (Check all that apply) Provision of clinical decision support Provision of drug information Pharmacist patient care billing Communication with patients Ability to collect and report outcomes

	teroperable health information technology been established to optimize pharmacist
	-care services provided in an ambulatory setting?
0	Yes
	Yes, but needs improvement
0	No
	ion 6.4S (related to Recommendation 2.3) armacists who provide patient-care services in ambulatory settings leverage health
compre	ation technologies to efficiently identify populations of patients for whom evidence-based, ehensive medication management or wellness services are indicated? Yes
0	Yes, but needs improvement
	No
Are ted popula	ion 6.5S (related to Recommendation 3.3) chnology systems available to document pharmacists' impact on patient-specific and tion-based outcomes in the ambulatory care setting? Yes
0	Yes, but needs improvement
0	No
Sectio	n 7: Pharmacy Technicians/ Support Personnel
Do yοι patient	ion 7.1S (related to Recommendation 2.7) u utilize pharmacy technicians or other supportive personnel to support pharmacist c-care services provided in your setting? Yes
0	No
How had the second the	
	Work with third-party payers
	Support of pharmacists' patient-care activities
	Preparation of a prescription order for a pharmacist's review
	Point-of-care testing
	Triaging phone calls
	Pill box fills
0	

 Question 7.3S (related to Guidelines) What percentage of your pharmacy technicians working in ambulatory care settings completed an ASHP-accredited pharmacy technician training program? ○ 0 - 25% ○ 26 - 50% ○ 51 - 75% ○ 76 - 100% 	
Question 7.4S (related to Guidelines) What percentage of your pharmacy technicians working in ambulatory care settings are certified by the Pharmacy Technician Certification Board? O - 25% O 26 - 50% O 51 - 75% O 76 - 100%	;d
Section 8: Outcomes Evaluation	
 Question 8.1S (related to Recommendation 3.2, 4.1, 4.4) Has your organization, with pharmacist involvement, defined measures that correlate the value of pharmacists' contributions to patient outcomes? Yes No 	;
Question 8.2S (related to Recommendation 4.3) Have pharmacists who provide patient-care services in ambulatory settings adopted a standardized format/template for documentation that facilitates outcomes measurement? O Yes O No	
Question 8.3S (related to Recommendation 4.5) Does your organization utilize a process for assessing and improving quality for pharmacist patient-care services in the ambulatory care setting? O Yes O No	
Question 8.3Si (related to Recommendation 4.4) Are the performance improvement activities for pharmacist patient-care services in ambulatory settings integrated with those of the health system or healthcare organization? Yes No 	

Are pha organiz (beyone O	on 8.4S (related to Recommendation 2.8, 4.2) armacist patient-care services in ambulatory settings integrated into the healthcare ration's efforts to encourage patients' participation in and accountability for their care d medication adherence)? Yes No
Is there optimal	on 8.5S (related to Recommendation 4.2) e an ongoing program for prospective and retrospective monitoring of drug utilization for quality, safety, and costs? Yes No
Do pha or othe O	on 8.6S (related to Recommendation 4.7) rmacists who provide patient-care services in ambulatory settings participate in research r methods of evaluating their contributions to improving health outcomes? Yes No
Is an or regardi settings O	on 8.7S (related to Recommendation 4.1, 4.4) ngoing process in place for reporting to medical staff, healthcare executives, and others ng patient outcomes and pharmacist patient-care services provided in ambulatory s? Yes No